

A WALL, MANY LANDSCAPES



4DESIGN



TECHNO VENEERS

Una incredibile varietà di finiture e combinazioni differenti per la creazione di ambienti contemporanei, unici e ricercati.
An incredible variety of finishes and design possibilities to create the perfect contemporary, unique and sought after ambience.

Pannelli rigidi, flessibili e cartelle **Rigid, flexible and wooden sheet panels**

S3P5	4
S3P7,5	6
S3P10	8
S3P15	10
S3P20	12
S6P10	14
S6P13	16
S6P20	18
S10P15	20
S13P26	22
S15P28	24

Pannelli rigidi e cartelle **Rigid and wooden sheet panels**

S3P3	28
S6P10 SP	30
S6P15_3	32
S11P37	34
MILLED P4F04	36
MILLED P5F05	38
MILLED P6F06	40
MILLED P4 6 8 12	42
MILLED P10F10	44
MILLED P20F05	46
MILLED P35F15	48
WAVE P8	50
WAVE P12 19	52
WAVE P17	54
WAVE P20	56
WAVE P20_3	58
WAVE P22	60
WAVE P23.5	62
WAVE P25	64
WAVE P30	66
WAVE P37,5	68
WAVE PLUS	70





Pannelli rigidi, flessibili
e cartelle


Rigid, flexible and wooden
sheet panels

S3P5

Techno veneers

Pannelli rigidi, flessibili e cartelle

Rigid, flexible and wooden sheet panels



① **2,8 mm**
Spessore finitura


② **0,5 mm**
Tessuto

③ **15 mm SUPPORTO RIGIDO**
5 mm SUPPORTO FLESSIBILE
Pannello MDF
Pannello multistrato
0,3 mm SUPPORTO
CARTELLA
TNT

④ **0,6 mm**
Bilanciante

⑤ **5 mm**
Passo delle fresature

⑥ **19 mm PANNELLO RIGIDO**
9 mm PANNELLO FLESSIBILE
3 mm CARTELLA
Spessore finito



① **2,8 mm**
Finish thickness

② **0,5 mm**
Fabric

③ **15 mm RIGID SUPPORT**
5 mm FLEXIBLE SUPPORT
MDF panel
Multi-layer panel
0,3 mm WOODEN
SHEET SUPPORT
TNT

④ **0,6 mm**
Balancing material

⑤ **5 mm**
Mills spacing

⑥ **19 mm RIGID PANEL**
9 mm FLEXIBLE PANEL
3 mm WOODEN SHEET
Finished thickness

Dimensione standard
Standard dimension

Pannelli rigidi / Rigid panels
3000 (vena/grain) x 1200 mm

Pannelli flessibili / Flexible panels
1000 (vena/grain) x 1800 mm
3000 (vena/grain) x 1200 mm

Cartelle / Wooden sheets
3130 (vena/grain) x 1220 mm





S3P7,5

Techno veneers

Pannelli rigidi, flessibili e cartelle

Rigid, flexible and wooden sheet panels



① **2,8 mm**
Spessore finitura


② **0,5 mm**
Tessuto

③ **15 mm SUPPORTO RIGIDO**
5 mm SUPPORTO FLESSIBILE
Pannello MDF
Pannello multistrato
0,3 mm SUPPORTO
CARTELLA
TNT

④ **0,6 mm**
Bilanciante

⑤ **7,5 mm**
Passo delle fresature

⑥ **19 mm PANNELLO RIGIDO**
9 mm PANNELLO FLESSIBILE
3 mm CARTELLA
Spessore finito



① **2,8 mm**
Finish thickness

② **0,5 mm**
Fabric

③ **15 mm RIGID SUPPORT**
5 mm FLEXIBLE SUPPORT
MDF panel
Multi-layer panel
0,3 mm WOODEN
SHEET SUPPORT
TNT

④ **0,6 mm**
Balancing material

⑤ **7,5 mm**
Mills spacing

⑥ **19 mm RIGID PANEL**
9 mm FLEXIBLE PANEL
3 mm WOODEN SHEET
Finished thickness

Dimensione standard
Standard dimension

Pannelli rigidi / Rigid panels
3000 (vena/grain) x 1200 mm

Pannelli flessibili / Flexible panels
1000 (vena/grain) x 1800 mm
3000 (vena/grain) x 1200 mm

Cartelle / Wooden sheets
3130 (vena/grain) x 1220 mm





S3P10


Techno veneers

Pannelli rigidi, flessibili e cartelle


Rigid, flexible and wooden sheet panels



- ① **2,8 mm**
Spessore finitura
- ② **0,5 mm**
Tessuto
- ③ **15 mm SUPPORTO RIGIDO**
5 mm SUPPORTO FLESSIBILE
Pannello MDF
Pannello multistrato
- ④ **0,3 mm SUPPORTO**
CARTELLA
TNT



- ④ **0,6 mm**
Bilanciante
- ⑤ **10 mm**
Passo delle fresature
- ⑥ **19 mm PANNELLO RIGIDO**
9 mm PANNELLO FLESSIBILE
3 mm CARTELLA
Spessore finito



- ① **2,8 mm**
Finish thickness
- ② **0,5 mm**
Fabric
- ③ **15 mm RIGID SUPPORT**
5 mm FLEXIBLE SUPPORT
MDF panel
Multi-layer panel
- ④ **0,3 mm WOODEN**
SHEET SUPPORT
TNT
- ⑤ **10 mm**
Mills spacing
- ⑥ **19 mm RIGID PANEL**
9 mm FLEXIBLE PANEL
3 mm WOODEN SHEET
Finished thickness

Dimensione standard
Standard dimension

Pannelli rigidi / Rigid panels
3000 (vena/grain) x 1200 mm

Pannelli flessibili / Flexible panels
1000 (vena/grain) x 1800 mm
3000 (vena/grain) x 1200 mm

Cartelle / Wooden sheets
3130 (vena/grain) x 1220 mm




S3P15

Techno veneers

Pannelli rigidi, flessibili e cartelle

Rigid, flexible and wooden sheet panels



① **2,8 mm**
Spessore finitura

② **0,5 mm**
Tessuto


③ **15 mm SUPPORTO RIGIDO**
5 mm SUPPORTO FLESSIBILE

Pannello MDF
Pannello multistrato
0,3 mm SUPPORTO
CARTELLA
TNT

④ **0,6 mm**
Bilanciante

⑤ **15 mm**
Passo delle fresature

⑥ **19 mm PANNELLO RIGIDO**
9 mm PANNELLO FLESSIBILE
3 mm CARTELLA
Spessore finito



① **2,8 mm**
Finish thickness

② **0,5 mm**
Fabric

③ **15 mm RIGID SUPPORT**
5 mm FLEXIBLE SUPPORT

MDF panel
Multi-layer panel
0,3 mm WOODEN
SHEET SUPPORT
TNT

④ **0,6 mm**
Balancing material

⑤ **15 mm**
Mills spacing

⑥ **19 mm RIGID PANEL**
9 mm FLEXIBLE PANEL
3 mm WOODEN SHEET
Finished thickness

Dimensione standard
Standard dimension

Pannelli rigidi / Rigid panels
3000 (vena/grain) x 1200 mm

Pannelli flessibili / Flexible panels
1000 (vena/grain) x 1800 mm
3000 (vena/grain) x 1200 mm

Cartelle / Wooden sheets
3130 (vena/grain) x 1220 mm




S3P20

Techno veneers

Pannelli rigidi, flessibili e cartelle

Rigid, flexible and wooden sheet panels



① **2,8 mm**
Spessore finitura

② **0,5 mm**
Tessuto

③ **15 mm SUPPORTO RIGIDO**
5 mm SUPPORTO FLESSIBILE

Pannello MDF

Pannello multistrato

0,3 mm SUPPORTO


CARTELLA

TNT

④ **0,6 mm**
Bilanciante

⑤ **20 mm**
Passo delle fresature

⑥ **19 mm PANNELLO RIGIDO**
9 mm PANNELLO FLESSIBILE
3 mm CARTELLA
Spessore finito



① **2,8 mm**
Finish thickness

② **0,5 mm**
Fabric

③ **15 mm RIGID SUPPORT**
5 mm FLEXIBLE SUPPORT

MDF panel

Multi-layer panel

0,3 mm WOODEN

SHEET SUPPORT

TNT

④ **0,6 mm**
Balancing material

⑤ **20 mm**
Mills spacing

⑥ **19 mm RIGID PANEL**
9 mm FLEXIBLE PANEL
3 mm WOODEN SHEET
Finished thickness

Dimensione standard
Standard dimension

Pannelli rigidi / Rigid panels
3000 (vena/grain) x 1200 mm

Pannelli flessibili / Flexible panels
1000 (vena/grain) x 1800 mm
3000 (vena/grain) x 1200 mm

Cartelle / Wooden sheets
3130 (vena/grain) x 1220 mm




S6P10

Techno veneers

Pannelli rigidi, flessibili e cartelle

Rigid, flexible and wooden sheet panels



① 5,6 mm
Spessore finitura

② 0,5 mm
Tessuto

③ 15 mm **SUPPORTO RIGIDO**
5 mm **SUPPORTO FLESSIBILE**

Pannello MDF

Pannello multistrato

0,3 mm **SUPPORTO**


CARTELLA

TNT

④ 1 mm
Bilanciante

⑤ 10 mm
Passo delle fresature

⑥ 22 mm **PANNELLO RIGIDO**
12 mm **PANNELLO FLESSIBILE**
6 mm **CARTELLA**
Spessore finito



① 5,6 mm
Finish thickness

② 0,5 mm
Fabric

③ 15 mm **RIGID SUPPORT**
5 mm **FLEXIBLE SUPPORT**

MDF panel

Multi-layer panel

0,3 mm **WOODEN**

SHEET SUPPORT

TNT

④ 1 mm
Balancing material

⑤ 10 mm
Mills spacing

⑥ 22 mm **RIGID PANEL**
12 mm **FLEXIBLE PANEL**
6 mm **WOODEN SHEET**
Finished thickness

Dimensione standard
Standard dimension

Pannelli rigidi / Rigid panels
3000 (vena/grain) x 1200 mm

Pannelli flessibili / Flexible panels
1000 (vena/grain) x 1800 mm
3000 (vena/grain) x 1200 mm

Cartelle / Wooden sheets
3130 (vena/grain) x 1220 mm






S6P13

Techno veneers

Pannelli rigidi, flessibili e cartelle

Rigid, flexible and wooden sheet panels



① 5,6 mm
Spessore finitura


② 0,5 mm
Tessuto

③ 15 mm **SUPPORTO RIGIDO**
5 mm **SUPPORTO FLESSIBILE**
Pannello MDF
Pannello multistrato
0,3 mm **SUPPORTO**
CARTELLA
TNT

④ 1 mm
Bilanciante

⑤ 13 mm
Passo delle fresature

⑥ 22 mm **PANNELLO RIGIDO**
12 mm **PANNELLO FLESSIBILE**
6 mm **CARTELLA**
Spessore finito



① 5,6 mm
Finish thickness

② 0,5 mm
Fabric

③ 15 mm **RIGID SUPPORT**
5 mm **FLEXIBLE SUPPORT**
MDF panel
Multi-layer panel
0,3 mm **WOODEN**
SHEET SUPPORT
TNT

④ 1 mm
Balancing material

⑤ 13 mm
Mills spacing


⑥ 22 mm **RIGID PANEL**
12 mm **FLEXIBLE PANEL**
6 mm **WOODEN SHEET**
Finished thickness

Dimensione standard
Standard dimension

Pannelli rigidi / Rigid panels
3000 (vena/grain) x 1200 mm

Pannelli flessibili / Flexible panels
1000 (vena/grain) x 1800 mm
3000 (vena/grain) x 1200 mm

Cartelle / Wooden sheets
3130 (vena/grain) x 1220 mm






S6P20

Techno veneers

Pannelli rigidi, flessibili e cartelle


Rigid, flexible and wooden sheet panels



① **5,6 mm**
Spessore finitura

② **0,5 mm**
Tessuto


③ **15 mm SUPPORTO RIGIDO**
5 mm SUPPORTO FLESSIBILE
Pannello MDF
Pannello multistrato
0,3 mm SUPPORTO
CARTELLA
TNT



④ **1 mm**
Bilanciante

⑤ **20 mm**
Passo delle fresature

⑥ **22 mm PANNELLO RIGIDO**
12 mm PANNELLO FLESSIBILE
6 mm CARTELLA
Spessore finito



① **5,6 mm**
Finish thickness

② **0,5 mm**
Fabric

③ **15 mm RIGID SUPPORT**
5 mm FLEXIBLE SUPPORT
MDF panel
Multi-layer panel
0,3 mm WOODEN
SHEET SUPPORT
TNT

④ **1 mm**
Balancing material

⑤ **20 mm**
Mills spacing

⑥ **22 mm RIGID PANEL**
12 mm FLEXIBLE PANEL
6 mm WOODEN SHEET
Finished thickness

Dimensione standard
Standard dimension

Pannelli rigidi / Rigid panels
3000 (vena/grain) x 1200 mm

Pannelli flessibili / Flexible panels
1000 (vena/grain) x 1800 mm
3000 (vena/grain) x 1200 mm

Cartelle / Wooden sheets
3130 (vena/grain) x 1220 mm




S10P15

Techno veneers

Pannelli rigidi, flessibili e cartelle

Rigid, flexible and wooden sheet panels



① **8,4 mm**
Spessore finitura

② **0,5 mm**
Tessuto


③ **15 mm SUPPORTO RIGIDO**
5 mm SUPPORTO FLESSIBILE

Pannello MDF
Pannello multistrato
0,3 mm SUPPORTO
CARTELLA
TNT

④ **1 mm**
Bilanciante

⑤ **15 mm**
Passo delle fresature

⑥ **24,4 mm PANNELLO RIGIDO**
14 mm PANNELLO FLESSIBILE
8,7 mm CARTELLA
Spessore finito



① **8,4 mm**
Finish thickness

② **0,5 mm**
Fabric

③ **15 mm RIGID SUPPORT**
5 mm FLEXIBLE SUPPORT

MDF panel
Multi-layer panel
0,3 mm WOODEN
SHEET SUPPORT
TNT

④ **1 mm**
Balancing material

⑤ **15 mm**
Mills spacing

⑥ **24,4 mm RIGID PANEL**
14 mm FLEXIBLE PANEL
8,7 mm WOODEN SHEET
Finished thickness

Dimensione standard
Standard dimension

Pannelli rigidi / Rigid panels
3000 (vena/grain) x 1200 mm

Pannelli flessibili / Flexible panels
1000 (vena/grain) x 1800 mm
3000 (vena/grain) x 1200 mm

Cartelle / Wooden sheets
3130 (vena/grain) x 1220 mm




S13P26

Techno veneers

Pannelli rigidi, flessibili e cartelle

Rigid, flexible and wooden sheet panels



① **11,2 mm**
Spessore finitura

② **0,5 mm**
Tessuto


③ **15 mm SUPPORTO RIGIDO**
5 mm SUPPORTO FLESSIBILE

Pannello MDF
Pannello multistrato
0,3 mm SUPPORTO
CARTELLA
TNT

④ **1 mm**
Bilanciante

⑤ **25,5 mm**
Passo delle fresature

⑥ **27 mm PANNELLO RIGIDO**
17 mm PANNELLO FLESSIBILE
11,5 mm CARTELLA
Spessore finito



① **11,2 mm**
Finish thickness

② **0,5 mm**
Fabric

③ **15 mm RIGID SUPPORT**
5 mm FLEXIBLE SUPPORT

MDF panel
Multi-layer panel
0,3 mm WOODEN
SHEET SUPPORT
TNT

④ **1 mm**
Balancing material

⑤ **25,5 mm**
Mills spacing

⑥ **27 mm RIGID PANEL**
17 mm FLEXIBLE PANEL
11,5 mm WOODEN SHEET
Finished thickness

Dimensione standard
Standard dimension

Pannelli rigidi / Rigid panels
3000 (vena/grain) x 1200 mm

Pannelli flessibili / Flexible panels
1000 (vena/grain) x 1800 mm
3000 (vena/grain) x 1200 mm

Cartelle / Wooden sheets
3130 (vena/grain) x 1220 mm




S15P28

Techno veneers

Pannelli rigidi, flessibili e cartelle


Rigid, flexible and wooden sheet panels



① **16,8 mm**
Spessore finitura

② **0,5 mm**
Tessuto


③ **15 mm SUPPORTO RIGIDO**
5 mm SUPPORTO FLESSIBILE
Pannello MDF
Pannello multistrato
0,3 mm SUPPORTO
CARTELLA
TNT



④ **1 mm**
Bilanciante

⑤ **28 mm**
Passo delle fresature

⑥ **33 mm PANNELLO RIGIDO**
23 mm PANNELLO FLESSIBILE
17 mm CARTELLA
Spessore finito



① **16,8 mm**
Finish thickness

② **0,5 mm**
Fabric

③ **15 mm RIGID SUPPORT**
5 mm FLEXIBLE SUPPORT
MDF panel
Multi-layer panel
0,3 mm WOODEN
SHEET SUPPORT
TNT

④ **1 mm**
Balancing material

⑤ **28 mm**
Mills spacing

⑥ **33 mm RIGID PANEL**
23 mm FLEXIBLE PANEL
17 mm WOODEN SHEET
Finished thickness

Dimensione standard
Standard dimension

Pannelli rigidi / Rigid panels
3000 (vena/grain) x 1200 mm

Pannelli flessibili / Flexible panels
1000 (vena/grain) x 1800 mm
3000 (vena/grain) x 1200 mm

Cartelle / Wooden sheets
3130 (vena/grain) x 1220 mm





Pannelli rigidi e cartelle

Rigid and wooden


sheet panels

S3P3


Techno veneers

Pannelli rigidi e cartelle

Rigid and wooden sheet panels



- ① **2,8 mm**
Spessore finitura
- ③ **15 mm SUPPORTO RIGIDO**
Pannello MDF
Pannello multistrato
- 0,3 mm SUPPORTO CARTELLA**
TNT



- ④ **0,6 mm**
Bilanciante
- ⑤ **5 mm**
Passo delle fresature
- ⑥ **19 mm PANNELLO RIGIDO**
3 mm CARTELLA
Spessore finito

- ① **2,8 mm**
Finish thickness
- ③ **15 mm RIGID SUPPORT**
MDF panel
Multi-layer panel
- 0,3 mm WOODEN SHEET SUPPORT**
TNT

- ④ **0,6 mm**
Balancing material
- ⑤ **5 mm**
Mills spacing
- ⑥ **19 mm RIGID PANEL**
3 mm WOODEN SHEET
Finished thickness

Dimensione standard
Standard dimension

Pannelli rigidi / Rigid panels
3000 (vena/grain) x 1200 mm

Cartelle / Wooden sheets
3130 (vena/grain) x 1220 mm




S6P10 SP


Techno veneers

Pannelli rigidi e cartelle

Rigid and wooden sheet panels



- ① **5,6 mm**
Spessore finitura
- ③ **15 mm SUPPORTO RIGIDO**
Pannello MDF
Pannello multistrato
- 0,3 mm SUPPORTO CARTELLA**
TNT



- ④ **1 mm**
Bilanciante
- ⑤ **10 mm**
Passo delle fresature
- ⑥ **22 mm PANNELLO RIGIDO**
6 mm CARTELLA
Spessore finito

- ① **5,6 mm**
Finish thickness
- ③ **15 mm RIGID SUPPORT**
MDF panel
Multi-layer panel
- 0,3 mm WOODEN SHEET SUPPORT**
TNT

- ④ **1 mm**
Balancing material
- ⑤ **10 mm**
Mills spacing
- ⑥ **22 mm RIGID PANEL**
6 mm WOODEN SHEET
Finished thickness

Dimensione standard
Standard dimension

Pannelli rigidi / Rigid panels
3000 (vena/grain) x 1200 mm

Cartelle / Wooden sheets
3130 (vena/grain) x 1220 mm




S6P15 3

Techno veneers

Pannelli rigidi e cartelle

Rigid and wooden sheet panels




- ① **5,6 mm**
Spessore finitura
- ③ **15 mm SUPPORTO RIGIDO**
Pannello MDF
Pannello multistrato
- 0,3 mm SUPPORTO CARTELLA**
TNT

- ① **5,6 mm**
Finish thickness
- ③ **15 mm RIGID SUPPORT**
MDF panel
Multi-layer panel
- 0,3 mm WOODEN SHEET SUPPORT**
TNT

Dimensione standard
Standard dimension

Pannelli rigidi / Rigid panels
3000 (vena/grain) x 1200 mm

Cartelle / Wooden sheets
3130 (vena/grain) x 1220 mm



- ④ **1 mm**
Bilanciante
- ⑤ **18 mm**
Passo delle fresature

- ④ **1 mm**
Balancing material
- ⑤ **18 mm**
Mills spacing

- ⑥ **22 mm PANNELLO RIGIDO**
6 mm CARTELLA
Spessore finito

- ⑥ **22 mm RIGID PANEL**
6 mm WOODEN SHEET
Finished thickness



Creating with Shapes
Usha Doshi


A HEART OF A STONE

S11P37


Techno veneers

Pannelli rigidi e cartelle

Rigid and wooden sheet panels



- ① **11,2 mm**
Spessore finitura
- ③ **15 mm SUPPORTO RIGIDO**
Pannello MDF
Pannello multistrato
0,3 mm SUPPORTO
CARTELLA
TNT



- ④ **1 mm**
Bilanciante
- ⑤ **37 mm**
Passo delle fresature
- ⑥ **27 mm PANNELLO RIGIDO**
11,5 mm CARTELLA
Spessore finito

- ① **11,2 mm**
Finish thickness

- ③ **15 mm RIGID SUPPORT**
MDF panel
Multi-layer panel
0,3 mm WOODEN
SHEET SUPPORT
TNT

- ④ **1 mm**
Balancing material

- ⑤ **37 mm**
Mills spacing

- ⑥ **27 mm RIGID PANEL**
11,5 mm WOODEN SHEET
Finished thickness

Dimensione standard
Standard dimension

Pannelli rigidi / Rigid panels
3000 (vena/grain) x 1200 mm

Cartelle / Wooden sheets
3130 (vena/grain) x 1220 mm






MILLED P4F04


Techno veneers

Pannelli rigidi e cartelle

Rigid and wooden sheet panels



- ① **5,6 mm**
Spessore finitura
- ③ **15 mm SUPPORTO RIGIDO**
Pannello MDF
Pannello multistrato
- 0,3 mm SUPPORTO CARTELLA**
TNT



- ④ **1 mm**
Bilanciante
- ⑤ **8 mm**
Passo delle fresature
- ⑥ **22 mm PANNELLO RIGIDO**
6 mm CARTELLA
Spessore finito

- ① **5,6 mm**
Finish thickness
- ③ **15 mm RIGID SUPPORT**
MDF panel
Multi-layer panel
- 0,3 mm WOODEN SHEET SUPPORT**
TNT

- ④ **1 mm**
Balancing material
- ⑤ **8 mm**
Mills spacing
- ⑥ **22 mm RIGID PANEL**
6 mm WOODEN SUPPORT
Finished thickness

Dimensione standard
Standard dimension

Pannelli rigidi / Rigid panels
3000 (vena/grain) x 1200 mm

Cartelle / Wooden sheets
3130 (vena/grain) x 1220 mm




MILLED P5F05

Techno veneers

Pannelli rigidi e cartelle

Rigid and wooden sheet panels




- ① **5,6 mm**
Spessore finitura
- ③ **15 mm SUPPORTO RIGIDO**
Pannello MDF
Pannello multistrato
- 0,3 mm SUPPORTO CARTELLA**
TNT

- ① **5,6 mm**
Finish thickness
- ③ **15 mm RIGID SUPPORT**
MDF panel
Multi-layer panel
- 0,3 mm WOODEN SHEET SUPPORT**
TNT

Dimensione standard
Standard dimension

Pannelli rigidi / Rigid panels
3000 (vena/grain) x 1200 mm

Cartelle / Wooden sheets
3130 (vena/grain) x 1220 mm




- ④ **1 mm**
Bilanciante
- ⑤ **10 mm**
Passo delle fresature

- ④ **1 mm**
Balancing material
- ⑤ **10 mm**
Mills spacing

- ⑥ **22 mm PANNELLO RIGIDO**
6 mm CARTELLA
Spessore finito

- ⑥ **22 mm RIGID PANEL**
6 mm WOODEN SUPPORT
Finished thickness




MILLED P6F06

Techno veneers

Pannelli rigidi e cartelle

Rigid and wooden sheet panels




- ① **5,6 mm**
Spessore finitura
- ③ **15 mm SUPPORTO RIGIDO**
Pannello MDF
Pannello multistrato
- 0,3 mm SUPPORTO CARTELLA**
TNT

- ① **5,6 mm**
Finish thickness
- ③ **15 mm RIGID SUPPORT**
MDF panel
Multi-layer panel
- 0,3 mm WOODEN SHEET SUPPORT**
TNT

Dimensione standard
Standard dimension

Pannelli rigidi / Rigid panels
3000 (vena/grain) x 1200 mm

Cartelle / Wooden sheets
3130 (vena/grain) x 1220 mm



- ④ **1 mm**
Bilanciante
- ⑤ **12 mm**
Passo delle fresature

- ④ **1 mm**
Balancing material
- ⑤ **12 mm**
Mills spacing

- ⑥ **22 mm PANNELLO RIGIDO**
6 mm CARTELLA
Spessore finito

- ⑥ **22 mm RIGID PANEL**
6 mm WOODEN SUPPORT
Finished thickness




MILLED P4|6|8|12


Techno veneers

Pannelli rigidi e cartelle

Rigid and wooden sheet panels



- ① **5,6 mm**
Spessore finitura
- ③ **15 mm SUPPORTO RIGIDO**
Pannello MDF
Pannello multistrato
0,3 mm SUPPORTO CARTELLA
TNT



- ④ **1 mm**
Bilanciante
- ⑤ **4/6/8/12 mm**
Passo delle fresature
- ⑥ **22 mm PANNELLO RIGIDO**
6 mm CARTELLA
Spessore finito

- ① **5,6 mm**
Finish thickness
- ③ **15 mm RIGID SUPPORT**
MDF panel
Multi-layer panel
0,3 mm WOODEN SHEET SUPPORT
TNT

- ④ **1 mm**
Balancing material
- ⑤ **4/6/8/12 mm**
Mills spacing
- ⑥ **22 mm RIGID PANEL**
6 mm WOODEN SUPPORT
Finished thickness

Dimensione standard
Standard dimension

Pannelli rigidi / Rigid panels
3000 (vena/grain) x 1200 mm

Cartelle / Wooden sheets
3130 (vena/grain) x 1220 mm




MILLED P10F10


Techno veneers

Pannelli rigidi e cartelle

Rigid and wooden sheet panels



- ① **5,6 mm**
Spessore finitura
- ③ **15 mm SUPPORTO RIGIDO**
Pannello MDF
Pannello multistrato
- 0,3 mm SUPPORTO CARTELLA**
TNT



- ④ **1 mm**
Bilanciante
- ⑤ **20 mm**
Passo delle fresature
- ⑥ **22 mm PANNELLO RIGIDO**
6 mm CARTELLA
Spessore finito

- ① **5,6 mm**
Finish thickness
- ③ **15 mm RIGID SUPPORT**
MDF panel
Multi-layer panel
- 0,3 mm WOODEN SHEET SUPPORT**
TNT

- ④ **1 mm**
Balancing material
- ⑤ **20 mm**
Mills spacing
- ⑥ **22 mm RIGID PANEL**
6 mm WOODEN SUPPORT
Finished thickness

Dimensione standard
Standard dimension

Pannelli rigidi / Rigid panels
3000 (vena/grain) x 1200 mm

Cartelle / Wooden sheets
3130 (vena/grain) x 1220 mm




MILLED P20F05


Techno veneers

Pannelli rigidi e cartelle

Rigid and wooden sheet panels



- ① **2,8 mm**
Spessore finitura
- ③ **15 mm SUPPORTO RIGIDO**
Pannello MDF
Pannello multistrato
0,3 mm SUPPORTO CARTELLA
TNT



- ④ **0,6 mm**
Bilanciante
- ⑤ **20 mm**
Passo delle fresature
- ⑥ **19 mm PANNELLO RIGIDO**
3 mm CARTELLA
Spessore finito

- ① **2,8 mm**
Finish thickness
- ③ **15 mm RIGID SUPPORT**
MDF panel
Multi-layer panel
0,3 mm WOODEN SHEET SUPPORT
TNT
- ④ **0,6 mm**
Balancing material
- ⑤ **20 mm**
Mills spacing
- ⑥ **19 mm RIGID PANEL**
3 mm WOODEN SUPPORT
Finished thickness

Dimensione standard
Standard dimension

Pannelli rigidi / Rigid panels
3000 (vena/grain) x 1200 mm

Cartelle / Wooden sheets
3130 (vena/grain) x 1220 mm




MILLED P35F15


Techno veneers

Pannelli rigidi e cartelle

Rigid and wooden sheet panels



- ① **8,4 mm**
Spessore finitura
- ③ **15 mm SUPPORTO RIGIDO**
Pannello MDF
Pannello multistrato
- 0,3 mm SUPPORTO CARTELLA**
TNT



- ④ **1 mm**
Bilanciante
 - ⑤ **35 mm**
Passo delle fresature
 - ⑥ **24,4 mm PANNELLO RIGIDO**
8,7 mm CARTELLA
Spessore finito
- ① **8,4 mm**
Finish thickness
 - ③ **15 mm RIGID SUPPORT**
MDF panel
Multi-layer panel
 - 0,3 mm WOODEN SHEET SUPPORT**
TNT
 - ④ **1 mm**
Balancing material
 - ⑤ **35 mm**
Mills spacing
 - ⑥ **24,4 mm RIGID PANEL**
8,7 mm WOODEN SHEET
Finished thickness

Dimensione standard
Standard dimension

Pannelli rigidi / Rigid panels
3000 (vena/grain) x 1200 mm

Cartelle / Wooden sheets
3130 (vena/grain) x 1220 mm





WAVE P8


Techno veneers

Pannelli rigidi e cartelle

Rigid and wooden sheet panels



- ① **5,6 mm**
Spessore finitura
- ③ **15 mm SUPPORTO RIGIDO**
Pannello MDF
Pannello multistrato
- 0,3 mm SUPPORTO CARTELLA**
TNT




- ④ **1 mm**
Bilanciante
 - ⑤ **8 mm**
Passo delle fresature
 - ⑥ **22 mm PANNELLO RIGIDO**
6 mm CARTELLA
Spessore finito
- ① **5,6 mm**
Finish thickness
 - ③ **15 mm RIGID SUPPORT**
MDF panel
Multi-layer panel
 - 0,3 mm WOODEN SHEET SUPPORT**
TNT
- ④ **1 mm**
Balancing material
 - ⑤ **8 mm**
Mills spacing
 - ⑥ **22 mm RIGID PANEL**
6 mm WOODEN SUPPORT
Finished thickness

Dimensione standard
Standard dimension

Pannelli rigidi / Rigid panels
3000 (vena/grain) x 1200 mm

Cartelle / Wooden sheets
3130 (vena/grain) x 1220 mm





WAVE P12|19


Techno veneers

Pannelli rigidi e cartelle

Rigid and wooden sheet panels



- ① **5,6 mm**
Spessore finitura
- ③ **15 mm SUPPORTO RIGIDO**
Pannello MDF
Pannello multistrato
0,3 mm SUPPORTO CARTELLA
TNT



- ④ **1 mm**
Bilanciante
- ⑤ **12/19 mm**
Passo delle fresature
- ⑥ **22 mm PANNELLO RIGIDO**
6 mm CARTELLA
Spessore finito

- ① **5,6 mm**
Finish thickness

- ③ **15 mm RIGID SUPPORT**
MDF panel
Multi-layer panel
0,3 mm WOODEN SHEET SUPPORT
TNT

- ④ **1 mm**
Balancing material

- ⑤ **12/19 mm**
Mills spacing

- ⑥ **22 mm RIGID PANEL**
6 mm WOODEN SUPPORT
Finished thickness

Dimensione standard
Standard dimension

Pannelli rigidi / Rigid panels
3000 (vena/grain) x 1200 mm

Cartelle / Wooden sheets
3130 (vena/grain) x 1220 mm




WAVE P17


Techno veneers

Pannelli rigidi e cartelle

Rigid and wooden sheet panels



- ① **5,6 mm**
Spessore finitura
- ③ **15 mm SUPPORTO RIGIDO**
Pannello MDF
Pannello multistrato
- 0,3 mm SUPPORTO CARTELLA**
TNT



- ④ **1 mm**
Bilanciante
- ⑤ **17 mm**
Passo delle fresature
- ⑥ **22 mm PANNELLO RIGIDO**
6 mm CARTELLA
Spessore finito

- ① **5,6 mm**
Finish thickness
- ③ **15 mm RIGID SUPPORT**
MDF panel
Multi-layer panel
- 0,3 mm WOODEN SHEET SUPPORT**
TNT

- ④ **1 mm**
Balancing material
- ⑤ **17 mm**
Mills spacing
- ⑥ **22 mm RIGID PANEL**
6 mm WOODEN SUPPORT
Finished thickness

Dimensione standard
Standard dimension

Pannelli rigidi / Rigid panels
3000 (vena/grain) x 1200 mm

Cartelle / Wooden sheets
3130 (vena/grain) x 1220 mm




WAVE P20


Techno veneers

Pannelli rigidi e cartelle

Rigid and wooden sheet panels



- ① **5,6 mm**
Spessore finitura
- ③ **15 mm SUPPORTO RIGIDO**
Pannello MDF
Pannello multistrato
- 0,3 mm SUPPORTO CARTELLA**
TNT



- ④ **1 mm**
Bilanciante
- ⑤ **20 mm**
Passo delle fresature
- ⑥ **22 mm PANNELLO RIGIDO**
6 mm CARTELLA
Spessore finito

- ① **5,6 mm**
Finish thickness

- ③ **15 mm RIGID SUPPORT**
MDF panel
Multi-layer panel
- 0,3 mm WOODEN SHEET SUPPORT**
TNT

- ④ **1 mm**
Balancing material

- ⑤ **20 mm**
Mills spacing

- ⑥ **22 mm RIGID PANEL**
6 mm WOODEN SUPPORT
Finished thickness

Dimensione standard
Standard dimension

Pannelli rigidi / Rigid panels
3000 (vena/grain) x 1200 mm

Cartelle / Wooden sheets
3130 (vena/grain) x 1220 mm




WAVE P20 3


Techno veneers

Pannelli rigidi e cartelle

Rigid and wooden sheet panels



- ① **11,2 mm**
Spessore finitura
- ③ **15 mm SUPPORTO RIGIDO**
Pannello MDF
Pannello multistrato
- 0,3 mm SUPPORTO CARTELLA**
TNT



- ④ **1 mm**
Bilanciante
- ⑤ **23 mm**
Passo delle fresature
- ⑥ **27 mm PANNELLO RIGIDO**
11,5 mm CARTELLA
Spessore finito

- ① **11,2 mm**
Finish thickness

- ③ **15 mm RIGID SUPPORT**
MDF panel
Multi-layer panel
- 0,3 mm WOODEN SHEET SUPPORT**
TNT

- ④ **1 mm**
Balancing material

- ⑤ **23 mm**
Mills spacing

- ⑥ **27 mm RIGID PANEL**
11,5 mm WOODEN SUPPORT
Finished thickness

Dimensione standard
Standard dimension

Pannelli rigidi / Rigid panels
3000 (vena/grain) x 1200 mm

Cartelle / Wooden sheets
3130 (vena/grain) x 1220 mm




WAVE P22


Techno veneers

Pannelli rigidi e cartelle

Rigid and wooden sheet panels



- ① **2,8 mm**
Spessore finitura
- ③ **15 mm SUPPORTO RIGIDO**
Pannello MDF
Pannello multistrato
- 0,3 mm SUPPORTO CARTELLA**
TNT



- ④ **0,6 mm**
Bilanciante
- ⑤ **20 mm**
Passo delle fresature
- ⑥ **19 mm PANNELLO RIGIDO**
3 mm CARTELLA
Spessore finito

- ① **2,8 mm**
Finish thickness
- ③ **15 mm RIGID SUPPORT**
MDF panel
Multi-layer panel
- 0,3 mm WOODEN SHEET SUPPORT**
TNT
- ④ **0,6 mm**
Balancing material
- ⑤ **20 mm**
Mills spacing
- ⑥ **19 mm RIGID PANEL**
3 mm WOODEN SUPPORT
Finished thickness

Dimensione standard
Standard dimension

Pannelli rigidi / Rigid panels
3000 (vena/grain) x 1200 mm

Cartelle / Wooden sheets
3130 (vena/grain) x 1220 mm




WAVE P23,5


Techno veneers

Pannelli rigidi e cartelle

Rigid and wooden sheet panels



- ① **5,6 mm**
Spessore finitura
- ③ **15 mm SUPPORTO RIGIDO**
Pannello MDF
Pannello multistrato
- 0,3 mm SUPPORTO CARTELLA**
TNT



- ④ **1 mm**
Bilanciante
 - ⑤ **23,5 mm**
Passo delle fresature
 - ⑥ **22 mm PANNELLO RIGIDO**
6 mm CARTELLA
Spessore finito
- ① **5,6 mm**
Finish thickness
 - ③ **15 mm RIGID SUPPORT**
MDF panel
Multi-layer panel
 - 0,3 mm WOODEN SHEET SUPPORT**
TNT
 - ④ **1 mm**
Balancing material
 - ⑤ **23,5 mm**
Mills spacing
 - ⑥ **22 mm RIGID PANEL**
6 mm WOODEN SUPPORT
Finished thickness

Dimensione standard
Standard dimension

Pannelli rigidi / Rigid panels
3000 (vena/grain) x 1200 mm

Cartelle / Wooden sheets
3130 (vena/grain) x 1220 mm




WAVE P25


Techno veneers

Pannelli rigidi e cartelle

Rigid and wooden sheet panels



- ① **2,8 mm**
Spessore finitura
- ③ **15 mm SUPPORTO RIGIDO**
Pannello MDF
Pannello multistrato
0,3 mm SUPPORTO CARTELLA
TNT



- ④ **0,6 mm**
Bilanciante
 - ⑤ **25 mm**
Passo delle fresature
 - ⑥ **19 mm PANNELLO RIGIDO**
3 mm CARTELLA
Spessore finito
- ① **2,8 mm**
Finish thickness
 - ③ **15 mm RIGID SUPPORT**
MDF panel
Multi-layer panel
0,3 mm WOODEN SHEET SUPPORT
TNT
 - ④ **0,6 mm**
Balancing material
 - ⑤ **25 mm**
Mills spacing
 - ⑥ **19 mm RIGID PANEL**
3 mm WOODEN SUPPORT
Finished thickness

Dimensione standard
Standard dimension

Pannelli rigidi / Rigid panels
3000 (vena/grain) x 1200 mm

Cartelle / Wooden sheets
3130 (vena/grain) x 1220 mm




WAVE P30


Techno veneers

Pannelli rigidi e cartelle

Rigid and wooden sheet panels



- ① **5,6 mm**
Spessore finitura
- ③ **15 mm SUPPORTO RIGIDO**
Pannello MDF
Pannello multistrato
0,3 mm SUPPORTO
CARTELLA
TNT



- ④ **1 mm**
Bilanciante
- ⑤ **30 mm**
Passo delle fresature
- ⑥ **22 mm PANNELLO RIGIDO**
6 mm CARTELLA
Spessore finito

- ① **5,6 mm**
Finish thickness

- ③ **15 mm RIGID SUPPORT**
MDF panel
Multi-layer panel
0,3 mm WOODEN
SHEET SUPPORT
TNT

- ④ **1 mm**
Balancing material


- ⑤ **30 mm**
Mills spacing

- ⑥ **22 mm RIGID PANEL**
6 mm WOODEN SUPPORT
Finished thickness

Dimensione standard
Standard dimension

Pannelli rigidi / Rigid panels
3000 (vena/grain) x 1200 mm

Cartelle / Wooden sheets
3130 (vena/grain) x 1220 mm




WAVE P37,5


Techno veneers

Pannelli rigidi e cartelle

Rigid and wooden sheet panels



- ① **5,6 mm**
Spessore finitura
- ③ **15 mm SUPPORTO RIGIDO**
Pannello MDF
Pannello multistrato
0,3 mm SUPPORTO CARTELLA
TNT



- ④ **1 mm**
Bilanciante
- ⑤ **37,5 mm**
Passo delle fresature
- ⑥ **22 mm PANNELLO RIGIDO**
6 mm CARTELLA
Spessore finito

- ① **5,6 mm**
Finish thickness
- ③ **15 mm RIGID SUPPORT**
MDF panel
Multi-layer panel
0,3 mm WOODEN SHEET SUPPORT
TNT

- ④ **1 mm**
Balancing material
- ⑤ **37,5 mm**
Mills spacing
- ⑥ **22 mm RIGID PANEL**
6 mm WOODEN SHEET
Finished thickness

Dimensione standard
Standard dimension

Pannelli rigidi / Rigid panels
3000 (vena/grain) x 1200 mm

Cartelle / Wooden sheets
3130 (vena/grain) x 1220 mm




WAVE PLUS


Techno veneers

Pannelli rigidi e cartelle

Rigid and wooden sheet panels



- ① **5,6 mm**
Spessore finitura
- ③ **15 mm SUPPORTO RIGIDO**
Pannello MDF
Pannello multistrato
0,3 mm SUPPORTO CARTELLA
TNT



- ④ **1 mm**
Bilanciante
- ⑤ **5|10|11|12|13|16 mm**
Passo delle fresature
- ⑥ **22 mm PANNELLO RIGIDO**
6 mm CARTELLA
Spessore finito

- ① **5,6 mm**
Finish thickness

- ③ **15 mm RIGID SUPPORT**
MDF panel
Multi-layer panel
0,3 mm WOODEN SHEET SUPPORT
TNT

- ④ **1 mm**
Balancing material

- ⑤ **5|10|11|12|13|16 mm**
Mills spacing

- ⑥ **22 mm RIGID PANEL**
6 mm WOODEN SUPPORT
Finished thickness

Dimensione standard
Standard dimension

Pannelli rigidi / Rigid panels
3000 (vena/grain) x 1200 mm

Cartelle / Wooden sheets
3130 (vena/grain) x 1220 mm




Materiali e Finiture / Material and Finishes

Supporto disponibile per cartelle
Available support for wooden sheet




TNT tessuto non tessuto precollato
Pre-glued non-woven fabric TNT

Supporti disponibili per pannelli flessibili
Available supports for flexible panels



Pannello MDF Ignifugo - Idrofugo - CARB2 - NAF
Pannello MDF pasta nera
Pannello multistrato di betulla
MDF panel Fireproof - Waterproof - CARB2 - NAF
Black MDF panel
Birch plywood panel

Supporti disponibili per pannelli rigidi
Available supports for rigid panels



Pannello MDF Ignifugo - Idrofugo - CARB2 - NAF
Pannello MDF pasta nera
Pannello multistrato di betulla
MDF panel Fireproof - Waterproof - CARB2 - NAF
Black MDF panel
Birch plywood panel

Legni / Woods	
Makassar*	American walnut
Ebony	Grey oak
Teak	Light grey
Oak	White oak
Light American walnut	Gabon ebony
Rosewood	Thermo oak
Bamboo natural**	Bamboo caramel**

Dimensione standard Standard dimension
Cartelle / Wooden sheet
3130 (vena/grain) x 1220 mm **Special 2440 (vena/grain) x 1200 mm
Pannelli flessibili / Flexible panels
1000 (vena/grain) x 1800 mm 3000 (vena/grain) x 1200 mm **Special 2440 (vena/grain) x 1200 mm
Pannelli rigidi / Rigid panels
3000 (vena/grain) x 1200 mm **Special 2440 (vena/grain) x 1200 mm
Su richiesta / On request
Design personalizzato / Custom design Altri supporti e spessori / Other supports and thicknesses Verniciatura / Painting

Tutti i prodotti della collezione TECHNO VENEERS sono disponibili in 11 finiture di precomposto di legno e in due finiture di bamboo
*La finitura Makassar è disponibile solo per alcuni prodotti

All products in the TECHNO VENEERS collection are available in 11 reconstituted veneer finishes and in two bamboo finishes
*Makassar finish is only available for some products

Via La Villa 5 • Loc. Ghilardino
61034 Fossombrone (PU) Italy
Tel. +39 0721 1701125
www.4designsrl.it • info@4designsrl.it



The mark of
responsible forestry
FSC® C164854

Prodotti certificati FSC® disponibili su richiesta
FSC® certified products available on request